AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (previously presented) A method for stirring a liquid, comprising:

sucking a part of a liquid into a nozzle from a liquid-containing container which opens at the top thereof; and

discharging the sucked liquid from the same nozzle directly into liquid remaining in the container at a discharging position which is horizontally different from a sucking position where the liquid has been sucked to thereby stir the liquid.

- 2. (previously presented) The method according to claim 1, wherein the sucked liquid is discharged together with air.
- 3. (original) The method according to claim 1, wherein said sucking and said discharging are conducted plural times.
- 4. (original) The method according to claim 3, wherein the discharging position of n times is horizontally different from the discharging position of n-1 time(s), and wherein n represents an integer of 2 or more.

U.S. Application No. 09/817,251

- 5. (original) The method according to claim 3, wherein the sucking position of n times is horizontally different from the sucking position of n-1 time(s), and wherein n represents an integer of 2 or more.
- 6. (original) The method according to claim 1, wherein the container has an inclination on the inside wall thereof, said inclination increasing in height toward the outside of the container, and the sucked liquid is discharged toward the inclination.
 - 7. (original) The method according to claim 1, wherein the liquid is blood.

Claims 8-10. (canceled)

11. (currently amended): A method for stirring a liquid, comprising:

sucking a part of a liquid into a nozzle from a liquid-containing container which opens at the top thereof and has an inclination on the inside wall thereof; and

discharging the sucked liquid from the same nozzle <u>directly</u> toward the inclination at a discharging position which is horizontally different from a sucking position where the liquid has been sucked to thereby stir the liquid.

12. (previously presented): The method according to claim 11, wherein the sucked liquid is discharged together with air.

U.S. Application No. 09/817,251

- 13. (previously presented): The method according to claim 11, wherein said sucking and said discharging are conducted plural times.
- 14. (previously presented): The method according to claim 13, wherein the discharging position of n times is horizontally different from the discharging position of n-1 time(s), and wherein n represents an integer of 2 or more.
- 15. (previously presented): The method according to claim 13, wherein the sucking position of n times is horizontally different from the sucking position of n-1 time(s), and wherein n represents an integer of 2 or more.
- 16. (previously presented): The method according to claim 11, wherein the inclination increases in height toward the outside of the container.
- 17. (previously presented): The method according to claim 11, wherein the liquid is blood.
- 18. (new): The method according to claim 11, wherein the discharging position is above the liquid level.
 - 19. (new): The method according to claim 1, which is used in an inspection apparatus.

AMENDMENT UNDER 37 C.F.R. § 1.111

U.S. Application No. 09/817,251

Q63803

- 20. (new): The method according to claim 11, wherein the discharging position is above the liquid level.
 - 21. (new): The method according to claim 11, which is used in an inspection apparatus.